


- SITE FEATURES**
- BOUNDARY LINE
 - - - RIGHT OF WAY LINE
 - - - LIMITS OF DISTURBANCE
 - XXX EXISTING CONTOUR ELEVATIONS
 - LIMITS OF DRAINAGE AREA
 - EXISTING STORM SEWER
 - X.X% EXISTING DRAINAGE FLOW WITH GRADE
 - X.X% EXISTING DRAINAGE SWALE WITH GRADE
 - STAGING AREA
 - TEMPORARY STOCKPILE
- EROSION DETAILS**
- SWPPP INFORMATION SIGN
 - TEMPORARY STONE CONSTRUCTION EXIT
 - EE TEMPORARY EROSION EEL
 - X TEMPORARY CONSTRUCTION FENCE
 - (TPS) TEMPORARY PARKING AND STORAGE
 - (SB) TEMPORARY SEDIMENT BASIN
 - (ST) TEMPORARY SEDIMENT TRAP
 - (P2) DANDY CURB SACK IP
 - (P3) IPP IP
 - TEMPORARY CONCRETE WASHOUT
- EROSION NOTES**
- PROVIDE BARRICADE AT ALL ENTRANCE LOCATIONS WITHOUT TEMPORARY STONE CONSTRUCTION EXIT
 - CLAY SOIL TYPE
 - TEMPORARY STABILIZATION WITH NORTH AMERICAN GREEN DS 75 EROSION CONTROL BLANKET



SWPPP UPDATES AND AMENDMENTS

THE GC MUST UPDATE THE SWPPP, INCLUDING THE JOBSITE BINDER AND SITE MAPS, TO REFLECT THE PROGRESS OF CONSTRUCTION ACTIVITIES AND GENERAL CHANGES TO THE PROJECT SITE. UPDATES SHALL BE MADE DAILY TO TRACK PROGRESS WHEN ANY OF THE FOLLOWING ACTIVITIES OCCUR: BMP INSTALLATION, MODIFICATION OR REMOVAL, CONSTRUCTION ACTIVITIES (E.G., PAVING, STORM SEWER INSTALLATION, FOOTING INSTALLATION, ETC.), CLEARING, GRUBBING OR GRADING, OR TEMPORARY OR PERMANENT STABILIZATION.

IMPORTANT: THE GENERAL CONTRACTOR MUST SUBMIT A REQUEST FOR INFORMATION (RFI) TO THE CEC AND OBTAIN WRITTEN CEC APPROVAL BEFORE DOING ANY OF THE FOLLOWING:

1. MODIFYING EROSION OR SEDIMENT CONTROL BMPs (SUBSTITUTIONS ARE TYPICALLY ONLY APPROVED IF SPECIFIED MATERIALS ARE NOT AVAILABLE OR THERE IS A VALID REASON THE SPECIFIED BMP WILL NOT WORK)
2. ADDING/DELETING EROSION OR SEDIMENT CONTROL BMPs;
3. MODIFYING THE SWPPP IMPLEMENTATION SEQUENCE; OR
4. PERFORMING ANY ACTIONS OR IN ANY MANNER THAT IS CONTRARY TO THE SWPPP.

THE CONTRACTOR MAY MODIFY OR ADD ADDITIONAL BMPs, WITHOUT CEC APPROVAL, IN AN EMERGENCY SITUATION TO PREVENT SEDIMENT DISCHARGE OR PROTECT WATER QUALITY; HOWEVER, GC MUST NOTIFY THE CEC AS SOON AS PRACTICAL AS TO THEIR ACTIONS TO DISCUSS THE NEED FOR ADDITIONAL OR SUPPLEMENTAL MEASURES AND TO OBTAIN THE REQUIRED APPROVALS. THE CONTRACTOR IS ULTIMATELY RESPONSIBLE TO ENSURE COMPLIANCE WITH THE PERMIT AND PROTECTION OF DOWNSTREAM WATER QUALITY.

AMENDING THE SWPPP DOES NOT MEAN THAT IT HAS TO BE REPRINTED. IT IS ACCEPTABLE TO ADD ADDENDA, SKETCHES, NEW SECTIONS, DETAILS, AND/OR REVISED DRAWINGS THAT HAVE THE CEC NAME IN PRINT, ARE STAMPED, SIGNED, DATED, AND ARE ACCOMPANIED BY WRITTEN COPY OF THE ASSOCIATED RFI AND ITS RESPONSE FROM CEC. ENGINEERED ITEMS MUST BE SIGNED AND STAMPED BY THE CEC OF RECORD FOR THE PROJECT.

OFFSITE RUN ON DRAINAGE AREA 1.84 ACRES

BENCHMARK INFORMATION

NOTE TO GENERAL CONTRACTOR: PRIOR TO CONSTRUCTION, GC MUST CLEARLY DELINEATE AND MARK OFF AREAS IDENTIFIED IN THE SWPPP OR IN THE FIELD, TO BE PROTECTED (SUCH AS, NATURAL BUFFERS, TREES, HABITATS OF ENDANGERED/THREATENED SPECIES, HISTORIC PROPERTIES, ETC.)

DEVELOPER/OWNER:
 WAL-MART REAL ESTATE BUSINESS TRUST
 MAIL STOP 5570
 2001 SE 10TH STREET
 BENTONVILLE, AR 72716-5570
 479-204-1195

SITE OPERATOR/GENERAL CONTRACTOR:

SUPERINTENDENT:

IMPORTANT:
 GC MUST SIGN ALL PLAN SHEETS AND ANY NEW PLAN SHEETS ISSUED BY THE CEC.

PHASE 1 EROSION AND SEDIMENTATION CONTROL PLAN

Manhard CONSULTING LTD.

800 Woodlawn Parkway, Vernon Hills, IL 60061 | PH: 847.634.9550 | F: 847.634.0285 | manhard.com
 Civil Engineers • Surveyors • Water-Resource Engineers • Water & Wastewater Engineers • Construction Managers • Environmental Scientists • Landscape Architects • Planners

DATE	REVISIONS
6-15-15	REVISED BUILDING FOOTPRINT
8-13-14	REVISED PER CITY COMMENTS
8-13-14	REVISED PER CITY COMMENTS

PROPOSED WAL-MART SUPERCENTER NO. 1176-06

CITY OF STOUGHTON, DANE COUNTY, WISCONSIN

PHASE 1 EROSION AND SEDIMENTATION CONTROL PLAN

PROJ. MGR.: JTR
 PROJ. ASSOC.: RJS
 DRAWN BY: MH
 DATE: 5-29-14
 SCALE: 1"=60'

SHEET
4 OF 39
 WALSTW 130435